

To: Mark Duvall[MDuvall@bdlaw.com]; Winchester, Erik[Winchester.Erik@epa.gov]
Cc: Betsy Natz[bnatz@kcma.org]
From: Symmes, Brian
Sent: Wed 3/8/2017 10:59:37 PM
Subject: RE: Meeting to discuss formaldehyde rule's non-complying lots provision

Mark, I made a mistake when we spoke – turns out Erik will not be here on March 15th. Given your folks may already be committed to the trip, we are happy to keep the meeting as is, with myself and staff, or we can try to reschedule for the following week. We can do just about any time the week of March 20th except for Thursday afternoon and Friday. Sorry about the confusion – I'm going to blame the lingering impact of the flu for my mistake.

Brian Symmes, Acting Director

National Program Chemicals Division

Office of Pollution Prevention & Toxics/Office of

Chemical Safety & Pollution Prevention

U.S. Environmental Protection Agency

202-566-1983

From: Mark Duvall [mailto:MDuvall@bdlaw.com]
Sent: Tuesday, March 07, 2017 9:04 AM
To: Symmes, Brian <Symmes.Brian@epa.gov>; Winchester, Erik <Winchester.Erik@epa.gov>
Cc: Betsy Natz <bnatz@kcma.org>
Subject: Meeting to discuss formaldehyde rule's non-complying lots provision

Brian, thanks very much for our conversation this morning. The Kitchen Cabinet Manufacturers Association would like to meet with you at 3:00 on Wednesday, March 15.

Am I correct that the meeting will be at 1201 Constitution?

Mark Duvall

Principal

**BEVERIDGE
& DIAMOND^{PC}**  **BEVERIDGE & DIAMOND, P.C.**
1350 I Street, NW, Suite 700, Washington, DC 20005
T +1.202.789.6090 F +1.202.789.6190 MDuvall@bdlaw.com

CONFIDENTIALITY STATEMENT: This electronic message contains information from the law firm of Beveridge & Diamond, P.C. and may be confidential or privileged. The information is intended solely for the use of the individual(s) or entity(ies) named above. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this message is prohibited. If you have received this e-mail in error, please notify us immediately by telephone at +1.202.789.6000 or by e-mail reply and delete this message. Thank you.